











# Your Gateway to Efficient Connectivity

Kvaser DB9-Power Inlet is a power injector developed for the Kvaser products which can be supplied via a CAN bus D-SUB 9 connector, such as Kvaser's Blackbird, Memorator, Ethercan and AirBridge series. With the Kvaser DB9-Power Inlet your Kvaser product can be supplied without interferring with the connected CAN-bus.

## **Warranty**

2-Year warranty. See our general conditions and policies for details.

## **Support**

Free support for all products by contacting support@kvaser.com



73-30130-00973-8



## Kvaser DB9-Power Inlet

### **Major Features**

- Acts as a power injector with one powered D-SUB 9 socket and one non-powered D-SUB 9 plug connector.
- Connects to power supply using a standard 2.0 mm DC power connector.
- A complementary 12 V, 1 A power supply is included.
- Compatible with J1939, CANopen, NMEA 2000® and DeviceNet. Higher layer protocol translation handled by the user's application. For software support please see our Technical Associates products and our Software Download page (www.kvaser.com).

#### Support

Documentation, Kvaser SDK and drivers can be downloaded for free at www.kvaser.com/downloads.

Kvaser SDK is a free resource that includes everything you need to develop software for the Kvaser CAN interfaces. Includes full documentation and many program samples, written in C, C++, C#, Delphi, Visual Basic, Python and t programming language.

Kvaser CAN hardware is built around the same common software API. Applications developed using one device type will run without modification on other device types.

€ Technical Data	
CAN FD	Yes
Certificates	CE, RoHS
Connector	1 socket, 1 plug D-SUB 9
Dimensions	50 x 50 x 16 mm
Length	27,500 mm
Operating Temperature Range	-40 to +85 °C
Weight	30 g

